

# IBM DB2 at UW

(a mini-tutorial)

David Toman

School of Computer Science  
University of Waterloo

## DB2: what is it?

DB2 is a relational DBMS and a set of tools:

- a command-line interface to SQL
- an ESQL preprocessor for C language

This tutorial covers (briefly):

- How do I run it?
- Useful hints
- What if something goes wrong?

DB2 documentation:

will be available on-line

from the course web page

# First Steps

- DB2 is **only** available on `rees`
- your environment should be set up correctly:

`sh, bash, et al:`

```
rees$ source ~db2cs348/sqlllib/db2profile
```

`csh, tcsh, et al:`

```
rees$ source ~db2cs348/sqlllib/db2cshrc
```

- you don't need any DB2 password

Every CS348 student must have a UNIX account on `rees`.

# First Steps (example)

```
softbase.cs$ rlogin rees
Last login: softbase.cs.uwat (pts/58) Sun Jul 27 07:04:22 2008
[...]
rees$ source ~db2cs348/sqlllib/db2profile
rees$ db2
(c) Copyright IBM Corporation 1993,2001
Command Line Processor for DB2 SDK 7.2.0

[...]

For more detailed help, refer to the Online Reference Manual.

db2 =>
```

# Connecting to a Database

```
db2 => connect to cs348
```

## Database Connection Information

```
Database server          = DB2/SUN 7.2.0  
SQL authorization ID    = DAVID  
Local database alias    = CS348
```

```
db2 =>
```

**cs348** is the name of a database managed by DB2 for this class

## Executing Queries

SQL statements can be entered directly at the db2 => prompt.

```
db2 => select aid,name \  
db2 (cont.) => from david.author
```

```
AID          NAME  
-----  
          1 Toman, David  
          2 Chomicki, Jan  
          3 Saake, Gunter  
  
3 record(s) selected.
```

ending line with \  
ending with (<cr>) executes the query.

\*\*\*\*\* you will need this for your Assignments \*\*\*\*\*

# What tables are there?

```
db2 => list tables
```

Table/View	Schema	Type	Creation time
ARTICLE	DAVID	T	2008-05-08-15.53.39
AUTHOR	DAVID	T	2008-05-08-15.53.36
BOOK	DAVID	T	2008-05-08-15.53.37
JOURNAL	DAVID	T	2008-05-08-15.53.38
PROCEEDINGS	DAVID	T	2008-05-08-15.53.38
PUBLICATION	DAVID	T	2008-05-08-15.53.36
WROTE	DAVID	T	2008-05-08-15.53.37

```
7 record(s) selected.
```

# Is that all?

```
db2 => list tables for all
```

Table/View	Schema	Type	Creation time
ARTICLE	DAVID	T	2008-05-08-15.53.39
AUTHOR	DAVID	T	2008-05-08-15.53.36
COLCHECKS	SYSCAT	V	1999-09-10-10.55.30
...			
SYSTABLES	SYSIBM	T	1999-09-10-10.55.12
...			
SYSVIEWS	SYSIBM	T	1999-09-10-10.55.12
COLDIST	SYSSTAT	V	1999-09-10-10.55.39
COLUMNS	SYSSTAT	V	1999-09-10-10.55.39
FUNCTIONS	SYSSTAT	V	1999-09-10-10.55.39
INDEXES	SYSSTAT	V	1999-09-10-10.55.40
TABLES	SYSSTAT	V	1999-09-10-10.55.40

```
146 record(s) selected.
```

# HELP (built in)

db2 => ?

ACTIVATE DATABASE	ECHO	PREP/PRECOMPILE
ADD DATALINKS MANAGER	EXPORT	PRUNE HISTORY/LOGFILE
ADD NODE	FORCE APPLICATION	QUERY CLIENT
ATTACH	GET/RESET/UPDATE ADMIN CFG	QUIESCE TABLESPACES
ATTACH TO	GET AUTHORIZATIONS	QUIT
BACKUP DATABASE	GET CONNECTION STATE	REBIND
BIND	GET INSTANCE	RECONCILE
CATALOG APPC NODE	GET MONITOR SWITCHES	REDISTRIBUTE NODEGROUP
CATALOG APPCLU NODE	GET SNAPSHOT	REFRESH LDAP
CATALOG APPN NODE	GET/RESET/UPDATE CLI CFG	REGISTER
CATALOG DATABASE	GET/RESET/UPDATE DB CFG	RELEASE
CATALOG DCS DATABASE	GET/RESET/UPDATE DBM CFG	REORG TABLE
CATALOG GLOBAL DATABASE	HELP	REORGCHK
CATALOG IPXSPX NODE	IMPORT	RESET MONITOR
CATALOG LDAP DATABASE	INITIALIZE TAPE	RESTART DATABASE
CATALOG LDAP NODE	INVOKE	RESTORE DATABASE

[...]

Note: Some commands are operating system specific and may not be available.

For further help: ? db2-command - help for specified command  
? OPTIONS - help for all command options  
? HELP - help for reading help screens

The preceding three options can be run as DB2 <option> from an OS prompt.

Scary, but **very comprehensive** help system

## More HELP

### What do these funny error codes (e.g., DB21034E) mean??

```
db2 => blah blah
```

```
DB21034E The command was processed as an SQL statement
because it was not a valid Command Line Processor command.
During SQL processing it returned: SQL0104N An unexpected
token "blah" was found following "BEGIN-OF-STATEMENT".
Expected tokens may include: "<values>". SQLSTATE=42601
```

```
db2 => ? DB21034E
```

```
DB21034E The command was processed as an SQL statement
because it was not a valid Command Line Processor
command. During SQL processing it returned:
```

```
Explanation: This message is displayed before the SQL error
message. The error may be caused by a syntax error in
a non-SQL command.
```

```
User Response: Correct the error and resubmit the command.
```

# Command Line Usage

**Syntax:** db2 <command>

```
rees$ db2 list tables
```

Table/View	Schema	Type	Creation time
ARTICLE	DAVID	T	2000-05-08-15.53.39
AUTHOR	DAVID	T	2000-05-08-15.53.36
BOOK	DAVID	T	2000-05-08-15.53.37
JOURNAL	DAVID	T	2000-05-08-15.53.38
PROCEEDINGS	DAVID	T	2000-05-08-15.53.38
PUBLICATION	DAVID	T	2000-05-08-15.53.36
WROTE	DAVID	T	2000-05-08-15.53.37

```
7 record(s) selected.
```

special characters (e.g., \*) have to be quoted

# Scripts

To run code from a file `batch.file` use:

```
rees$ db2 -f batch.file  
  
<DB2 messages here; input is NOT echoed>
```

Sample SQL from classes `samples<n>.db2`

Results `results<n>.db2` ⇒ all from the “lectures” web page

This will be necessary for submitting your SQL assignments: you'll have to submit an `assignment<n>.sql` file which will then be *tested* by the TAs using the above.

# Problems

look if DB2 is running (this is how a healthy DB2 looks like):

```
rees$ ps -ef | grep db2
db2cs348  2799      1  0    Jun 14 ?           0:00 db2jd 50348
db2cs348  2746     2743  0    Jun 14 ?           0:00 db2sysc
db2cs348  2748     2744  0    Jun 14 ?           0:00 db2sysc
db2cs348 18696     2744  0 07:32:05 ?           0:00 db2sysc
db2cs348  2743     2742  0    Jun 14 ?           0:00 db2sysc
db2cs348  2745     2743  0    Jun 14 ?           0:00 db2sysc
db2cs348  2747     2744  0    Jun 14 ?           0:00 db2sysc
db2cs348 18694     2745  0 07:32:03 ?           0:01 db2sysc
db2cs348 18697     2744  0 07:32:05 ?           0:00 db2sysc
db2cs348 18695     2744  0 07:32:05 ?           0:00 db2sysc
db2cs348 18699     2744  0 07:32:05 ?           0:00 db2sysc
db2cs348 18700     2744  0 07:32:05 ?           0:00 db2sysc
db2cs348 18698     2744  0 07:32:05 ?           0:00 db2sysc
   david 18693      1  0 07:30:47 pts/58      0:00 db2bp 18529 5
```

if you can't access DB2 for contact the TAs of CFCF consultants.